

PDR 307 HP [EL]

Professional heat-pump dryer, Little Giants

For simple and flexible installation without vent ducting.



- Drum volume 130.00 l, load size 7.0 kg
- Tested for intensive use – unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Precision drying of all standard fabrics – PerfectDry

A++

EAN: 4002516413585 / Material number: 11693360 / Old Material Number: 52307171GB

Construction type and design

Construction type	Front-loader, stackable
Range	Evolution
Front	Lotos white
Load in kg	7.0
Drum volume in l	130.00
Drying system	Heat pump
Door opening [Ø] in mm	370
Door opening angle in degrees	167
Door hinge	left
Stainless steel honeycomb drum	Yes

Application

Suitable for the hotel and catering industry	•
Suitable for residential homes and apartments	•
Suitable for small businesses	•
Suitable for universities, nurseries, and schools	•
Suitable for camp sites	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Suitable for domestic use	•
Suitable for amusement parks & holiday complexes	•
Suitable for state/community care facilities	•

Performance data

Maximum evaporation capacity in l/hour	2.70
Specific energy consumption in kWh/kg	0.20
Specific energy consumption for Cottons/Normal drying programme with residual moisture at 48 % in kW	0.20
Specific energy consumption for mixed fibre fabrics/Normal drying programme with residual moisture a	0.17
Programme duration in min.	67
Programme duration for Cottons/Normal drying programme with residual moisture at 48 % in minutes	67
Programme duration for mixed fibre fabrics/Normal drying programme with residual moisture at 40 % in	57

Controls

Control system	M Select
Programmability	programmable
User interface	Residual moisture controlled
Max. delay start in h	24
Time left display	•
Programme sequence indicator	•
Control panel with easy-to-understand symbols	•
Language can be selected easily at any time	•

Standard and target group Programmes

Basic programmes	•
------------------	---

Standard electrical connection

Heating type	Heat pump
Electrical connection	220-240V~ 50HZ
Electric heater rating in kW	0.00
Total connected load in kW	1.44

PDR 307 HP [EL]

Professional heat-pump dryer, Little Giants

For simple and flexible installation without vent ducting.



EAN: 4002516413585 / Material number: 11693360 / Old Material Number: 52307171GB

Fuse rating in A	13
Dimensions and weight	
External dimensions, height in mm	850
External dimensions, width in mm	596
External dimensions, depth in mm	777
External dimensions, gross height in mm	940
External dimensions, gross width in mm	660
External dimensions, gross depth in mm	820
Net weight in kg	68.5
Gross weight in kg	74
Maximum floor loading in N	920
Emissions data	
Emission sound pressure level in the workplace	<70 dB(A) re 20 µPa
Heat dissipation into the room in MJ/h	3.60
Features	
Intelligent drum reversal	•
Axial airflow	•
Fluff filter in the door	•
Low-maintenance heat exchanger filter system	•
PerfectDry	•
SoftLift drum ribs	•
Gentle tumble function	•
Condensed water drainage	•
Drying basket (optional)	•
Drum lighting	•
Machine-independent accessories	•
Efficiency and sustainability	
Energy efficiency class	A++
Condensation efficiency class	A
Annual energy consumption in kWh	212
Noise level in standard Cottons Normal programme with full load in dB(a)	67
Duration in minutes in the standard programme	92
How it works	Condenser
Load in kg	7.0
Contains fluorinated greenhouse gases	•
Hermetically sealed system	•
Coolant	R134a
Refrigerant quantity in kg	0.61
Refrigerant global warming potential in kg CO ₂ e	1430
Appliance global warming potential in kg CO ₂ e	872.00
Connection options	
Payment system (optional)	•
Optical interface for service access	•
LAN/WiFi module (optional)	•
WiFiConn@ct	•
Test certificate	
CE	•
VDE	•
VDE-EMC	•
Splash-proof safety rating IPX4	•

PDR 307 HP [EL]

Professional heat-pump dryer, Little Giants

For simple and flexible installation without vent ducting.



EAN: 4002516413585 / Material number: 11693360 / Old Material Number: 52307171GB

WEEE

UKCA

Complies with Machinery Directive 2006/42/EC

•

•

•